


CLAIMS:

1. (Original) Compounds of the general formula (I):



wherein

R^1 is a hydrogen atom, a heteroalkyl, heteroalkylcycloalkyl or heteroaralkyl radical,

the radicals R^2 , each independently of any other(s), are halogen atoms, hydroxy, amino, nitro or thiol groups, alkyl, alkenyl, alkynyl, heteroalkyl, aryl, heteroaryl, cycloalkyl, alkylcycloalkyl, heteroalkylcycloalkyl, heterocycloalkyl, aralkyl or heteroaralkyl radicals,

the radicals R^3 , each independently of any other(s), are halogen atoms, hydroxy, amino, nitro or thiol groups, alkyl, alkenyl, alkynyl, heteroalkyl, aryl, heteroaryl, cycloalkyl, alkylcycloalkyl, heteroalkylcycloalkyl, heterocycloalkyl, aralkyl or heteroaralkyl radicals,

G is a glycosyl group,

n is 0, 1, 2, 3 or 4 and

m is 0, 1, 2, 3 or 4,

or a pharmacologically acceptable salt, solvate, hydrate or pharmacologically acceptable formulation thereof.

2. (Currently amended) Compounds according to claim 1, ~~wherein~~ wherein R^1 is a hydrogen atom or a group of formula $COOR^4$ or $CONR^5R^6$ wherein R^4 , R^5 and R^6 are, each independently of the others, hydrogen atoms, alkyl, alkenyl, alkynyl, heteroalkyl, aryl, heteroaryl, cycloalkyl, alkylcycloalkyl, heteroalkylcycloalkyl, heterocycloalkyl, aralkyl or heteroaralkyl radicals, or R^5 and R^6 together are part of an optionally substituted heteroaryl or heterocycloalkyl ring.
3. (Currently amended) Compounds according to claim 1 ~~or~~ 2, wherein R^4 is a hydrogen atom, a C_1 - C_4 alkyl or benzyl radical.
4. (Currently amended) Compounds according to ~~one of claims~~ claim 1 to 3, wherein R^1 is a hydrogen atom or a group of formula $COOH$ or $COOEt$.
5. (Currently amended) Compounds according to ~~one of claims~~ claim 1 to 3, wherein R^1 is a group of formula $CONHR^5$ and wherein R^4 , R^5 and R^6 are, each independently of the others, hydrogen atoms, alkyl, alkenyl, alkynyl, heteroalkyl, aryl, heteroaryl, cycloalkyl, alkylcycloalkyl, heteroalkylcycloalkyl, heterocycloalkyl, aralkyl or heteroaralkyl radicals, or R^5 and R^6 together are part of an optionally substituted heteroaryl or

heterocycloalkyl ring R⁵ is defined as in one of the preceding claims.

6. (Currently amended) Compounds according to ~~one of claims claim 1 to 5~~, wherein m is 0.
7. (Currently amended) Compounds according to ~~one of claims claim 1 to 5~~, wherein m is 1 and R³ is a hydroxy group which is bonded to the phenyl ring in a position ortho to the amidino group.
8. (Currently amended) Compounds according to ~~one of claims claim 1 to 7~~, wherein n is 2.
9. (Currently amended) Compounds according to ~~one of claims claim 1 to 8~~, wherein the radicals R², each independently of any other(s), are C₁-C₄alkyloxy, C₁-C₄hydroxyalkyloxy or benzyloxy groups.
10. (Currently amended) Pharmaceutical compositions comprising a compound according to ~~claims claim 1 to 9~~ as active ingredient and, optionally, carrier substances and/or adjuvants.
11. (Currently amended) A method for inhibiting blood clotting in a patient in need thereof comprising administration of an effective amount of a pharmaceutical composition as claimed in claim 10 ~~Use of a compound or of a pharmaceutical composition according to one of claims 1 to 10 in inhibiting factor VIIa.~~
12. (Currently amended) A method as claimed in claim 11, wherein said composition is administered ~~Use of a~~

~~compound or of a pharmaceutical composition according to one of claims 1 to 10 in the preparation of a medicament for the treatment and/or prevention of a thromboembolic conditions, selected from the group consisting of arterial restenosis, septicaemia, cancer, and acute inflammation or other conditions mediated by factor VIIa activity.~~

13. (Currently amended) The method as claimed in claim 11, wherein said composition is administered to a patient undergoing ~~Use of a compound or of a pharmaceutical composition according to one of claims 1 to 10 in the preparation of a medicament for utilisation in vascular surgery.~~